

2 0 0 m n



designed products that have been carefully manufactured with implementing the best plant & machinery along with maintaining strict quality standard.







FINISH CARVING

THICKNESS 9mm

SIZE 600x1200mm













Highly Durable

Easy to Install with Zero maintenance





< 0.08% Water Absorption



er Rand Desi





Scratch Chemical Resistance Resistant



Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE































Chemical Resistant







Luxury Designs

Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE **600x1200mm**

















< 0.08% Water Absorption











Scratch Resistance Chemical Resistant



Luxury Designs



Eco Friendly



FINISH CARVING

THICKNESS **9mm**

SIZE 600x1200mm







Highly Durable

Easy to Install with Zero maintenance















Scratch Ch Resistance Res



Luxury Designs



Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE

600x1200mm















÷.











Scratch Resistance





Luxury Designs



Eco Friendly

7054 CARVING 600x1200mm

Tile Texture Detail




FINISH **CARVING**

THICKNESS

9mm

SIZE

600x1200mm







Easy to Install with Zero maintenance



< 0.08% Water Absorption





Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly



FINISH

CARVING

THICKNESS

9mm

SIZE







Easy to Install with Zero maintenance





< 0.08% Water Absorption

Random Designs






Chemical Resistant




Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE

600x1200mm













Highly Durable







< 0.08% Water Absorption





Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly



FUSION



7057

FINISH CARVING

THICKNESS 9mm

,

SIZE





















< 0.08% Water Absorption





Scratch Resistance





Luxury Designs

Eco Friendly





FINISH CARVING

THICKNESS

9mm

SIZE

600x1200mm







Highly Durable











er Rand Des



Scratch Resistance





Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE 600x1200mm













Highly Durable







< 0.08% Water Absorption







Chemical Resistant



Scratch Resistance





Eco Friendly





FINISH CARVING

THICKNESS 9mm

SIZE

600x1200mm















÷.



< 0.08% Water Absorption



1

_

Chemical Resistant





Luxury Designs



Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE











Easy to Install with Zero maintenance





< 0.08% Water Absorption

Random Designs





Scratch Resistance







Luxury Designs

Eco Friendly



FUSION



7062

FINISH CARVING

THICKNESS **9mm**

SIZE **600x1200mm**







Highly Durable

Easy to Install with Zero maintenance





< 0.08% Water Absorption

Random Designs







Scratch Resistance

Chemical Resistant




Luxury Designs



Eco Friendly

CARVING 600x1200mm





FINISH CARVING

THICKNESS 9mm

SIZE













Highly Durable

Easy to Install with Zero maintenance





< 0.08% Water Absorption

Random Designs





Scratch Resistance





Luxury Designs



Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE

600x1200mm







Easy to Install with Zero maintenance



< 0.08% Water Absorption





Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm















Highly Durable

Easy to Install with Zero maintenance





< 0.08% Water Absorption

Random Designs



Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly



FINISH CARVING

THICKNESS 9mm

SIZE **600x1200mm**











Highly Durable







< 0.08% Water Absorption











Luxury Designs



Eco Friendly







CARVING

THICKNESS 9mm

SIZE

600x1200mm













Highly Durable







< 0.08% Water Absorption







Chemical Resistant



Scratch Resistance



Luxury Designs



Eco Friendly






FINISH **CARVING**

THICKNESS

9mm

SIZE

600x1200mm







Highly Durable

Easy to Install with Zero maintenance



< 0.08% Water Absorption





Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

600x1200mm























÷.

< 0.08% Water Absorption



Scratch Resistance





Luxury Designs



Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE 600x1200mm

















< 0.08% Water Absorption







Scratch Resistance





Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE

600x1200mm













Easy to Install with Zero maintenance















Chemical Resistant







Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE 600x1200mm







Easy to Install with Zero maintenance



< 0.08% Water Absorption





Scratch Resistance

Chemical Resistant



Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

600x1200mm















Easy to Install with Zero maintenance





< 0.08% Water Absorption





Scratch Resistance





Luxury Designs






FINISH **CARVING**

THICKNESS 9mm

SIZE

600x1200mm













Easy to Install with Zero maintenance





< 0.08% Water Absorption







Scratch Resistance Chemical Resistant



Luxury Designs



Eco Friendly



FINISH **CARVING**

THICKNESS 9mm

SIZE **600x1200mm**







Highly Durable







< 0.08% Water Absorption







Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly







FINISH **CARVING**

THICKNESS 9mm

SIZE























< 0.08% Water Absorption

Random Designs



Scratch Resistance



Chemical Resistant



Luxury Designs



Eco Friendly





FINISH **CARVING**

THICKNESS 9mm

SIZE **600x1200mm**











Easy to Install with Zero maintenance







Random Designs









Luxury Designs



Eco Friendly

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	EXCLUSIVE TILES VALUE				
DIMENSION & SURFACE QUALITY							
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%				
Deviation in Thickness	ISO 10545-2	± 5%	± 3%				
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%				
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%				
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%				
	PHYSICAL & THERMAL PRO	OPERTIES					
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%				
mohs Hardness	EN-101		Min. 5				
Flexural Strength	ISO 10545-4	>35N/mm2	>4ON/mm2				
Skid Resistance	ISO 10545-17	>O.4	>O.4				
Breaking Strength	ISO 10545-11	>1113N	>1800N				
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof				
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage				
Moisture Expansion	ISO 10545-10	Nill	Nill				
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV				
	CHEMICAL PROPERT	TIES					
Chemicals Resistance	ISO 10545-13	No Damage	No Damage				
Color Resistance	ISO 10545-16	No Damage	No Damage				
Stain Resistance	ISO 10545-14	Resistant	Resistant				

PACKING DETAIL

SIZE	THICKENESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.





1101 ,Nakshatra Heights, 150 Ft Ring Road pp.Raiya Telephone Exchange, Rajkot 360005, Gujarat-India

www.exclusivetiles.co.in